

GROUPE NUMAXES



PRODUCT GUIDE

NX numaxes.com

CONTENTS

GROUPE NUMAXES

Get to know us 4

NUMAXES PROTECTION

Trail cameras 6
Cellular trail cameras 10
Security cameras 16
Night vision 20

NUMAXES NATURE

Hearing protection 22
Laser rangefinder 27
Walkie-talkies 28
Bird feeder camera 30
Flashlight 31

NUMAXES EDUCATION

Bark control 32
Pet fencing / Area protection 38
Remote training 44
Bird launchers 58
GPS tracking systems 60
Beeper collars 64

EYENIMAL

Pet bowls with built-in scale 66
Automatic pet feeders 68
Pet fountain 70
Water bowl / Water bottle 71
Other accessories 72

Batteries 75



GET TO KNOW US

Created more than 30 years ago, the NUM'AXES Group designs, produces and markets high-tech accessories for pets and outdoor activities, in France and worldwide.

The NUM'AXES Group works in close partnership with cat and dog experts to develop new products and make sure they will deliver full satisfaction to pet owners while also ensuring pets' well-being and safety/security. **A well-educated pet will make his owner happy and will thrive in everyday society.** To create the best relationship between human and animal, owners must honor their duty to train and respect their pets. The NUM'AXES Group supports this duty by designing easy-to-use, state-of-the-art devices that enhance pet training and security.

In 2015, the NUM'AXES Group enriched its range of products with high-tech equipment designed for outdoor and nature activities (trail cameras, two-way radios, flashlights, binoculars, laser rangefinders...).

GROUPE
NUM'AXES



NUM'AXES Group, a founding member of ECMA™

The Electronic Collar Manufacturers Association (ECMA™) was created in March 2004 as a result of increasing awareness from different manufacturers concerning the necessity of regulating their industry.

All the members continuously endeavour to improve their products and user guides enabling effective and reliable training while protecting animal welfare.

- Well-trained pets enjoy a better quality of life because they have more freedom to explore their environment in safety.
- Effective and unobtrusive containment systems protect pets from hazards while allowing them freedom to explore a predetermined safe environment.
- Pet-friendly bark control products manage excessive barking quickly and effectively, enabling dogs to remain in loving homes within a peaceful environment.

All ECMA™ members' products meet the latest Technical Requirements, which enable training while protecting animal welfare.

All members' user guides use the ECMA™ Code of Practice as a reference providing consistent instructions for effective training techniques while protecting animal welfare.

The Technical Requirements and Code of Practice apply to electronic stimulation, vibration, ultrasonic, sonic and spray collars (remote trainers, bark control collars and containment fences), pet tracking systems and any other companion electronic training devices.

ECMA™ is committed to improving the quality of life of pets while protecting animal welfare.

ECMA™ welcomes debate of robust scientific evidence with a view to constantly improving the effectiveness and safety of products.



TRAIL CAMERAS

PRODUCT	TRAIL CAMERA PIE1075	TRAIL CAMERA PIE1066	TRAIL CAMERA PIE1076	TRAIL CAMERA PIE1077	TRAIL CAMERA PIE1069	TRAIL CAMERA PIE1073
SCREEN	-	2.0" colour	2.0" colour			2.4" colour
IMAGE SENSOR	2 MP colour CMOS		3 MP colour CMOS		2 MP colour CMOS	day: 13 MP / night: 2 MP colour CMOS
FIELD OF VIEW	80°	84°	84°		90°	day: 80° / night: 93°
IR FLASH RANGE	approximately 20 m / 65.6 ft	approximately 15 m / 49.2 ft	approximately 20 m / 65.6 ft			
PIR SENSOR RANGE	approximately 20 m / 65.6 ft	approximately 15 m / 49.2 ft	approximately 20 m / 65.6 ft			
DETECTION ANGLE	60°		120°		60°	120°
PHOTO RESOLUTION	8 MP	up to à 16 MP	up to 48 MP		up to 20 MP	up to 48 MP
VIDEO RESOLUTION	FULL HD	up to FULL HD	up to 4K		up to FULL HD	up to 4K
TRIGGER SPEED	0,3 seconds	0,4 seconds	0,3 seconds			
EXTERNAL MEMORY	micro SD card 256 GB maximum (not included)	SD card 128 GB maximum (not included)	micro SD card 512 GB maximum (not included)		micro SD card 128 GB maximum (not included)	SD card 256 GB maximum (not included)
PHOTO / VIDEO DOWNLOAD	via USB cable or SD card reader	via SD card reader	via USB cable or SD card reader	via WI-FI, USB cable or SD card reader	via USB cable or SD card reader	via WI-FI, USB cable or SD card reader
POWER SUPPLY	4 x alkaline or NI-MH AA batteries (not included)	4 x alkaline, lithium or NI-MH AA batteries (not included)	8 x alkaline, lithium or NI-MH AA batteries (not included)		built-in solar panel 4 x alkaline or NI-MH AA batteries (not included)	built-in solar panel



NEW

Model PIE1075

PIE1075 - REF. NGPIEPHO093 | GTIN 3700192312291

1 x PIE1075 PACK - REF. NGPIEPHO094 | GTIN 3700192312369

2 x PIE1075 PACK - REF. NGPIEPHO118 | GTIN 3700192312680

- Very easy to use
- 3 pre-set operating modes

Model PIE1066

PIE1066 - REF. NGPIEPHO072 | GTIN 3700192311416

1 x PIE1066 pack - REF. NGPIEPHO076 | GTIN 3700192311423

3 x PIE1066 pack - REF. NGPIEPHO074 | GTIN 3700192311430

- Compact
- Good value for money



Model PIE1069

PIE1069 - REF. NGPIEPHO075 | GTIN 3700192311454

PIE1069 pack - REF. NGPIEPHO079 | GTIN 3700192311638

- Outdoors, autonomy is almost unlimited thanks to the built-in high-performance solar panel



Wi-Fi

Model PIE1073

PIE1073 - REF. NGPIEPHO087 | GTIN 3700192312062

- Dual image sensor (day/night)
- Outdoors, autonomy is almost unlimited thanks to the built-in high-performance solar panel
- The Wi-Fi function allows remote modification of settings and downloading of photos and/or videos.

Wi-Fi

Model PIE1077

PIE1077 - REF. NGPIEPHO097 | GTIN 3700192312390

PIE1077 pack - REF. NGPIEPHO098 | GTIN 3700192312406

- Good value for money
- The Wi-Fi function allows you to modify settings and download photos/videos remotely.
- Easy to use thanks to the 2" LCD colour screen




Model PIE1076

PIE1076 - REF. NGPIEPHO095 | GTIN 3700192312376

PIE1076 pack - REF. NGPIEPHO096 | GTIN 3700192312383

- Good value for money
- Easy to use thanks to the 2" LCD colour screen





CELLULAR TRAIL CAMERAS

PRODUCT	TRAIL CAMERA PIE1150	TRAIL CAMERA PIE1151	TRAIL CAMERA PIE1152	TRAIL CAMERA PIE1061	TRAIL CAMERA PIE1046	TRAIL CAMERA PIE1078	TRAIL CAMERA PIE1067
SCREEN	2.0" colour		2.4" colour	2.4" colour			-
IMAGE SENSOR	4 MP colour CMOS		5 MP colour CMOS	4 MP colour CMOS	5 MP colour CMOS		3 MP colour CMOS
FIELD OF VIEW	89°		60°	80°	100°	53°	60°
IR FLASH RANGE	approximately 20 m / 65.6 ft			approximately 20 m / 65.6 ft			
PIR SENSOR RANGE	approximately 20 m / 65.6 ft			approximately 20 m / 65.6 ft			
DETECTION ANGLE	60°			60°	100°	60°	
PHOTO RESOLUTION	up to 32 MP			up to 24 MP		up to 30 MP	up to 12 MP
VIDEO RESOLUTION	up to 2K		up to FULL HD	up to FULL HD		up to 4K	FULL HD
TRIGGER SPEED	0,4 seconds			0,35 seconds		0.1 seconds	0.5 seconds
EXTERNAL MEMORY	micro SD card 128 GB maximum (not included)		SD card 128 GB maximum (not included)	micro SD card 32 GB maximum (not included)	SD card 32 GB maximum (not included)	SD card 256 GB maximum (not included)	SD card 32 GB maximum (not included)
SENDING PHOTOS	to free mobile application		via MMS or E-mail	to free mobile application	via MMS or E-mail		to a cloud storage service
SENDING VIDEOS	-			-	via E-mail		to a cloud storage service + Live streaming
SIM CARD	included (multi-operator)	not included		included (multi-operator)	not included		included (multi-operator)
POWER SUPPLY	8 x alkaline, lithium or Ni-MH AA batteries (not included)			8 x alkaline, lithium or Ni-MH AA batteries (not included)	12 x alkaline or Ni-MH AA batteries (not included)	8 x alkaline or Ni-MH AA batteries or 4 x 18650 Li-ion batteries (not included)	12 x alkaline or Ni-MH AA batteries (not included)



NEW

Model PIE1151

PIE1151 - REF. NGPIEPHO122 | GTIN 3700192312710

- Completely free choice of SIM card
- Sends photos to a smartphone app
- Automatic network operator detection as soon as the SIM card is inserted
- Free app (iOS/Android)



NEW

Model PIE1150

PIE1150 - REF. NGPIEPHO120 | GTIN 3700192312697

PIE1150 pack - REF. NGPIEPHO121 | GTIN 3700192312703

- Excellent value for money
- NUM'AXES multi-operator SIM card included
- Sends photos to a smartphone app
- Free app (iOS/Android)

Model PIE1046

PIE1046 - REF. NGPIEPHO018 | GTIN 3700192309611

PIE1046 pack - REF. NGPIEPHO070 | GTIN 3700192311218

- Sends photos via MMS or E-mail
- Sends videos via E-mail
- Automatic operator detection as soon as the SIM card is inserted
- Free app (iOS/ANDROID)
- Built-in GPS antenna for geotagging photos
- Remote antenna included (very useful in weak network areas)



NEW

Model PIE1078

PIE1078 - REF. NGPIEPHO107 | GTIN 3700192312499

- Sends photos via MMS or E-mail
- Sends videos via E-mail
- Automatic operator detection as soon as the SIM card is inserted
- Free app (iOS/ANDROID)
- Built-in GPS antenna for geotagging photos
- Additional cover supplied

GOOD DEAL **LIVE**

Model PIE1067

PIE1067 - REF. NGPIEPHO073 | GTIN 3700192311447

- Live streaming
- Multi-operator SIM card provided
- Photos and/or video previews sent to the cloud
- HD photos downloadable in the cloud on demand
- HD videos downloadable in the cloud on demand
- Several data plans available to adapt the product to your needs
- Free app (iOS/ANDROID)



Model PIE1061

PIE1061 - REF. NGPIEPHO028 | GTIN 3700192310501

PIE1061 pack - REF. NGPIEPHO077 | GTIN 3700192311515

- NUM'AXES multi-operator data SIM card supplied
- Sends photos to a smartphone application
- Free app (iOS/ANDROID)



NEW

Model PIE1152

PIE1152 - REF. NGPIEPHO124 | GTIN 3700192312895

- Completely free choice of SIM card
- Sends photos via MMS or email
- Automatic operator detection as soon as the SIM card is inserted
- Free app (iOS/Android)



TRAIL CAMERA ACCESSORIES

Solar panel

SOL1072 solar panel (6V/9V/12V) with built-in battery
PIE1046 / PIE1061 / PIE1067 / PIE1075 / PIE1078 /
PIE1150 / PIE1151 / PIE1152

REF. NGPIEACC069 | GTIN 3700192312055

Anti-theft cable

Adjustable braided steel cable (5/16 in x 6.6 ft)

REF. NGPIEACC092 | GTIN 3700192313021

Power packs

6V power pack
PIE1066 / PIE1075 / PIE1076 / PIE1077 / PIE1150 / PIE1151

REF. NGPIEACC031 | GTIN 3700192309437

12V power pack
PIE1046 / PIE1067 / PIE1152

REF. NGPIEACC035 | GTIN 3700192309666

Set 12V power pack + adapter PIE1061

REF. NGPIEACC047 | GTIN 3700192311508

Set 12V power pack + adapter PIE1078

REF. NGPIEACC089 | GTIN 3700192312826

Remote antenna

Remote antenna

PIE1046 / PIE1067 / PIE1078 / PIE1150 / PIE1151 / PIE1152

REF. NGPIEACC029 | GTIN 3700192309215

Micro SD cards

32 GB micro SDHC card class 10 + adapter

REF. NGPIEACC024 | GTIN 3700192305644

128 GB micro SDXC card class 10 + adapter

REF. NGPIEACC085 | GTIN 3700192312321

Tree mount

Tree mount

REF. NGPIEACC008 | GTIN 3700192305767

Security boxes

Steel security box PIE1046

REF. NGPIEACC039 | GTIN 3700192309987

Steel security box PIE1078

REF. NGPIEACC093 | GTIN 3700192313038

Steel security box PIE1152

REF. NGPIEACC040 | GTIN 3700192309970





SECURITY CAMERAS

PRODUCT	CAM1200	CAM1072	CAM1073	CAM1071
POWER SUPPLY	solar panel and rechargeable batteries mains			
IMAGE SENSOR	3 CMOS SENSORS (3 x 2 MP)	2 CMOS SENSORS (2 x 4 MP)		
PANORAMIC LENS	FOV 120° pan 180° tilt 15°	FOV 180° digital zoom up to 4X	FOV 120° pan 180° tilt 15°	
PTZ LENS	pan 355° tilt 90° digital zoom up to 10X	-	pan 355° tilt 90° optical zoom from 4X up to 10X	
DETECTION RANGE	adjustable from 0 up to 45 m	adjustable from 0 up to 25 m	adjustable from 0 up to 45 m	
ALARM	manual or automatic			
USE	indoors / outdoors (IP66)			
INSTALLATION	vertical mounting (wall) horizontal mounting (ceiling)			
VIDÉO RESOLUTION	2K	4K ULTRA HD		
NETWORK	Wi-Fi (range approx. 80 m) + 4G	Wi-Fi (range approx. 80 m)		3G + 4G

NEW

Wi-Fi / 4G

Model CAM1200

REF. NGCAMSUR004 | GTIN 3700192312789

- Energy self-sufficient thanks to its solar panel
- Smart human detection and auto-tracking (AI)
- Dual live video on smartphone (detailed/panoramic)
- Night vision (colour or infrared)
- Built-in alarm (siren and spotlights)
- Two-way audio
- Free app (iOS/ANDROID) for real-time remote control

APPLICATION



360° CAMERA



180° CAMERA



360° CAMERA

Wi-Fi

Model CAM1072

REF. NGCAMSUR002 | GTIN 3700192312512

- 2 fixed lenses: 2 X 90°
- Energy self-sufficient thanks to its solar panel
- Smart human detection and auto-tracking (AI)
- Dual live video on smartphone (detailed/panoramic)
- Night vision (colour or infrared)
- Built-in alarm (siren and spotlights)
- Two-way audio
- Free app (iOS/ANDROID) for real-time remote control

APPLICATION



Wi-Fi

Model CAM1073

REF. NGCAMSUR003 | GTIN 3700192312529


4G

Model CAM1071

REF. NGCAMSUR001 | GTIN 3700192311966

- Energy self-sufficient thanks to its solar panel
- Smart human detection and auto-tracking (AI)
- Dual live video on smartphone (panoramic/close-up)
- Night vision (colour or infrared)
- Built-in alarm (siren and spotlights)
- Two-way audio
- Free app (iOS/ANDROID) for real-time remote control

APPLICATION



LIVE

HUMAN
DETECTION
& TRACKING

360° CAMERA

INFRARED NIGHT VISION



PRODUCT	BINOCULARS VIS1065
MAGNIFICATION	10 X
DIGITAL ZOOM	up to 8 X
OBJECTIVE LENS DIAMETER	24 mm / 0.94 in
INFRARED ILLUMINATOR	YES (850 nm)
INFRARED LEVELS	7
RANGE	300 m / 984 ft
DIMENSIONS	113 x 86.5 x 51.6 mm 4.4 x 3.4 x 2.0 in
WEIGHT	227 g / 8.0 oz
POWER SUPPLY	1 x 18650 lithium battery 2000 mAh (included)

Model VIS1065

REF. NGJUMNOC006 | GTIN 3700192311461

- Photos/videos can be recorded onto a micro SD card
- Only 227 g and 12 cm in length
- The built-in screen makes settings easier and allows you to view photos and videos
- USB cable, carrying strap and storage case included

HEARING PROTECTION

PRODUCT	HEARING PROTECTOR CAS1500	ELECTRONIC HEARING PROTECTOR CAS1550	ELECTRONIC HEARING PROTECTOR CAS1551	ELECTRONIC HEARING PROTECTOR CAS1034-B	BLUETOOTH HEARING PROTECTOR CAS1036	BLUETOOTH ELECTRONIC EARPLUGS ORE1068	
NOISE REDUCTION	-	from 82 dB	from 82 dB	from 75 dB	from 82 dB		
NOISE ATTENUATION	approximately 28 dB (SNR)	approximately 27 dB (SNR)	approximately 28 dB (SNR)	approximately 27 dB (SNR)		approximately 29 dB (SNR)	
SOUND VOLUME ADJUSTMENT	-	YES	YES				
SLIM CUPS FOR SHOOTERS	YES		YES			-	
STEREO SOUND	-	YES	YES				
LOW SOUNDS AMPLIFICATION	-	up to 5 X	up to 5 X	up to 3 X	up to 10 X		
BLUETOOTH	-			-		BLUETOOTH 5.0	BLUETOOTH 5.3
JACK SOCKET	-	YES	YES				
POWER SUPPLY	-	2 x 1.5-V LR03 batteries (not included)	2 x 1.5-V LR03 batteries (not included)			rechargeable	
BATTERY LIFE	-	350 hours	300 hours	225 hours	78 hours	8 hours	
WEIGHT	223 g / 7.9 oz	263 g / 9.3 oz	332 g / 11.7 oz	278 g / 9.8 oz	290 g / 10.2 oz	8.3 g / 0.3 oz	



NEW

Model CAS1500

REF. NGCASPAS010 | GTIN 3700192312796

- Attenuation of harmful sounds by 28 dB on average (H = 30 dB - M = 26 dB - L = 21 dB)
- Slim cups
- Light and compact
- Replaceable foam pads



NEW / Silicone

Model CAS1551

REF. NGCASELE014 | GTIN 3700192312819

- Very comfortable silicone pads (replaceable)
- Automatic release form 82 dB
- Attenuation of harmful sounds by 28 dB on average (H = 31 dB - M = 26 dB - L = 18 dB)
- 2 microphones
- Slim cups
- Adjustable volume
- Lead with 3.5 mm / 0.14 in mono jack plug supplied

NEW

Model CAS1550

REF. NGCASELE013 | GTIN 3700192312802

- Automatic release form 82 dB
- Attenuation of harmful sounds by 27 dB on average (H = 31 dB - M = 23 dB - L = 18 dB)
- 2 microphones
- Slim cups
- Adjustable volume
- Lead with 3.5 mm / 0.14 in mono jack plug supplied
- Replaceable foam pads



Model CAS1034 B

■ KHAKI - REF. NGCASELE004 | GTIN 3700192307457

■ ORANGE - REF. NGCASELE005 | GTIN 3700192309932

- Automatic release from 75 dB
- Attenuation of the sounds harmful for your ears by 27 dB on average (H = 31 dB - M = 24 dB - L = 17 dB)
- Slim cups
- 2 high frequency microphones
- Adjustable volume
- Lead with 3.5 mm / 0.14 in mono jack plug supplied



Bluetooth

Model CAS1036

REF. NGCASELE006 | GTIN 3700192310167

- Bluetooth function
- Very comfortable silicone ear pads
- Automatic release from 82 dB
- Attenuation of the sounds harmful for your ears by 27 dB on average (H = 29 dB - M = 24 dB - L = 19 dB)
- Amplification of ambient sounds (up to 10 X)
- Adjustable volume
- Lead with 3.5 mm / 0.14 in jack plug supplied



ACCESSORIES

Earmuff / walkie-talkie connecting cable with PTT button Jack 3.5 mm mono
CAS1034 B / CAS1036 / CAS1550 / CAS1551
REF. NGTLKACC004 | GTIN 3700192309772

Set of 2 foam pads
CAS1500 / CAS1550
REF. NGCASACC010 | GTIN 3700192312901

Set of 2 silicone pads
CAS1036 / CAS1551
REF. NGCASACC011 | GTIN 3700192312918

BIG DROP IN PRICE

BLUETOOTH ELECTRONIC EARPLUGS



Model ORE1068

REF. NGOREELE001 | GTIN 3700192311478

- Automatic release as soon as the 82 dB threshold is reached
- Attenuation of sounds harmful to your ear by 29 dB on average
- (H = 30 dB – M = 26 dB – L = 24 dB)
- 2 microphones
- Listening modes: indoor, outdoor, Bluetooth
- Amplification of low sounds up to 10 dB
- Bluetooth 5.3 function to pair them to a smartphone
- Quick charge: 1 hour
- Battery life: 8 hours

ACCESSORIES

Set of 6 ear tips ORE1068

size S - REF. NGOREACC001 | GTIN 3700192311645

size M - REF. NGOREACC002 | GTIN 3700192311652

size L - REF. NGOREACC003 | GTIN 3700192311669

Set of 6 earpiece caps ORE1068

size S - REF. NGOREACC004 | GTIN 3700192311676

size M - REF. NGOREACC005 | GTIN 3700192311683

size L - REF. NGOREACC006 | GTIN 3700192311690

LASER RANGEFINDER



NEW

Model TEL1800

REF. NGTELLAS011 | GTIN 3700192312925

- Range: 1000 m / 3281 ft
- Measuring modes: automatic scan, vibration alert to confirm target acquisition, slope compensation, measures the angle of incline
- OLED screen (2 colours: red/green)
- Wrist strap and carrying case included

PRODUCT	LASER RANGEFINDER TEL1800
MAGNIFICATION	6 X
MEASURING RANGE	5 – 1 000 m / 16 – 3281 ft
RANGING ACCURACY	+/- 1 m / +/- 3.28 ft
OBJECTIVE LENS DIAMETER	21 mm / 0.83 in
CONSTANT OPERATION AUTOMATIC SCAN	YES (scan mode)
VIBRATION SIGNAL	YES
DIMENSIONS	104 x 78 x 43 mm 4.1 x 3.1 x 1.7 in
WEIGHT	159 g / 5.6 oz
POWER SUPPLY	1 x 3-V CR2 battery (not included)

WALKIE-TALKIES

PRODUCT	WALKIE-TALKIE TLK1022	WALKIE-TALKIE TLK1054	WALKIE-TALKIE TLK1038
FREQUENCY	compatible with most PMR446 two-way radios on the market		
CHANNELS	16	16	16 + 176 pre-programmed
MAXIMUM RANGE	12 km / 7.5 mi		
SCREEN	-	-	YES
VIBRATOR	-	-	YES
JACK SOCKET	YES		
WATERTIGHTNESS	splashproof	splashproof	showerproof
POWER SUPPLY	rechargeable battery		
WEIGHT	170 g / 6 oz	195 g / 6.9 oz	90 g / 3.2 oz
DIMENSIONS	117 x 60 x 35 mm 4.6 x 2.4 x 1.4 in	125 x 58 x 35 mm 4.9 x 2.3 x 1.4 in	95 x 43 x 26 mm 3.7 x 1.7 x 1.0 in
SALES UNIT	per 1	per 2	per 1

Model TLK1022

REF. NGTLK001 | GTIN 3700192307082

- 2 modes: scan, squelch
- Earpiece, belt clip and charger supplied



Model TLK1054

REF. NGTLK003 | GTIN 3700192309765

- Pack of 2 devices
- 2 modes: scan, squelch
- Earpieces, belt clips and chargers supplied

Model TLK1038

■ BLACK - REF. NGTLK002 | GTIN 3700192309246

■ ORANGE - REF. NGTLK004 | GTIN 3700192309925

- Compact and ultralight
- 6 modes: vibrate, scan, scrambler, squelch, compander, vox
- Screen for settings and channel and battery level display
- Earpiece, belt clip and charging cable supplied



ACCESSORIES

Additional battery TLK1022
REF. NGTLKACC001 | GTIN 3700192307174

Earmuff / walkie-talkie connecting cable with PTT button – Jack 3.5 mm mono
TLK1022 / TLK1038 / TLK1054
REF. NGTLKACC004 | GTIN 3700192309772

Earpiece TLK1022 / TLK1038 / TLK1054
REF. NGTLKACC002 | GTIN 3700192308775

BIRD FEEDER CAMERA

PRODUCT	BIRD FEEDER CAMERA CAM1074
CAPTURE MODES	photo video photo + video
MOTION DETECTION RANGE	approximately 2 m / 6.6 ft
FIELD OF VIEW	120°
NIGHT VISION	infrared LED
PHOTO RESOLUTION	up to 12 MP
VIDEO RESOLUTION	up to FULL HD
PHOTO/VIDEO RECORDING	on micro SD card 32 GB maximum (not included)

Model CAM1074

REF. NGCAMNAT001 | GTIN 3700192312284

- Camera + bird feeder + drinking cup
- Built-in solar panel
- Day and night photos and/or videos
- Easy to program thanks to the colour screen
- Mounting system, mounting strap and USB cable included



FLASHLIGHT



PRODUCT	FLASHLIGHT LMP1018
LIGHTING	1 white LED
LIGHT MODES	3
MAXIMUM BEAM DISTANCE	500 m / 1640 ft
MAXIMUM OUTPUT	1000 lumens
ADJUSTABLE BEAM WIDTH	YES
MATERIAL	anodised aluminium alloy
ANTI-ROLL DESIGN	YES
WATERTIGHTNESS	showerproof (IP44)
POWER SUPPLY	1 x 26650 rechargeable battery (included)
MAXIMUM RUNTIME	4 hours (continuous use)
WEIGHT	275 g / 9.7 oz

Model LMP1018

REF. NGLMPTOR018 | GTIN 3700192306399

- 3 light modes: high, low, strobe
- Ø 50 mm x 171 mm | Ø 1.97 in x 6.73 in
- Rechargeable

ACCESSORY

26650 rechargeable battery LMP1018
REF. CPELEPIL076 | GTIN 3700192307853



BARK CONTROL WITHOUT STIMULATIONS

PRODUCT	BARK CONTROL COLLAR CANICALM SONIC	BARK CONTROL COLLAR CANICALM SPRAY
CHARACTER OF THE DOG	very easy	easy to difficult
ULTRASOUNDS	YES	-
VIBRATIONS	YES	-
SPRAY	-	YES
WATERTIGHTNESS	showerproof	
LOW BATTERY INDICATOR	YES	
ADJUSTABLE STRAP ON NECK SIZES	from 17 to 55 cm from 6.7 to 21.6 in	
WEIGHT (WITHOUT STRAP)	28 g / 0.99 oz	42 g / 1.5 oz
POWER SUPPLY	1 x 3-V CR2450 battery (included)	1 x long-life battery (approximately 3 years) integrated

CANICALM SONIC

REF. PFABOSON015 | GTIN 3700192303596

- Miniaturised and ultralight
- 3 operating modes:
 - Ultrasounds
 - Vibrations
 - Ultrasounds + Vibrations
- Adjustable bark detection sensitivity



CANICALM SPRAY

- CITRONELLA - REF. PFABOSPR006 | GTIN 3700192302438
- ODOURLESS - REF. PFABOSPR008 | GTIN 3700192302452
- LAVENDER - REF. PFABOSPR007 | GTIN 3700192302445
- CITRONELLA - REF. PFABOSPR015 | GTIN 3700192302513
- ODOURLESS - REF. PFABOSPR017 | GTIN 3700192302537
- LAVENDER - REF. PFABOSPR016 | GTIN 3700192302520

- Fun design
- Only 42 g / 1.5 oz
- Fully automatic device, no adjustment required
- Built-in long-life battery (approximately 3 years)
- Spray refill included (75 ml), available as an accessory

CANICALM CONTROL

REF. NGRPUSON001 | GTIN 3700192304241


- Ideal for stopping excessive barking, destructive behaviour or undesirable habits
- Also works as a dog repeller
- Ultrasounds / Beep sounds / Flashlight
- Average ultrasonic emission frequency: 25 kHz +/- 1
- Range up to 15 m / 45.2 ft
- Power supply: 9V 6LR61 battery (not included)



ULTRASONIC BARK CONTROL

REF. NGABOSON003 | GTIN 3700192309598

- For indoor or outdoor use
- Barking detection distances: 5, 10 or 15 metres (16.4, 32.8 or 49.2 ft) according to the selected setting
- Automatic activation when barking is detected
- Can be put on a flat surface or suspended
- Ultrasounds maximum range: 15 m / 49.2 ft
- Power supply: 9V 6LR61 battery (not included)



BARK CONTROL WITH STIMULATIONS

PRODUCT	BARK CONTROL COLLAR CANICALM FIRST	BARK CONTROL COLLAR CANICALM	BARK CONTROL COLLAR CANICALM PREMIUM	BARK CONTROL COLLAR CANICALM EXCEL	BARK CONTROL COLLAR CANICALM SMALL	BARK CONTROL COLLAR IKI PULSE	BARK CONTROL COLLAR CANICALM SMART
CHARACTER OF THE DOG	very easy to easy	easy to difficult	easy to difficult	easy to difficult	very easy to easy	easy to difficult	easy to difficult
WARNING BEEP SOUND	YES			YES			
LEVELS OF STIMULATIONS	progressive stimulations	2 levels	3 levels	3 levels	2 levels	6 levels	3 levels
WATERTIGHTNESS	showerproof	showerproof	waterproof	waterproof			
LOW BATTERY INDICATOR	YES			YES			
ADJUSTABLE STRAP ON NECK SIZES	from 17 to 55 cm from 6.7 to 21.6 in	from 20 to 67 cm from 7.9 to 26.4 in	from 20 to 55 cm from 7.9 to 21.6 in	from 17 to 55 cm from 6.7 to 21.6 in			
WEIGHT (WITHOUT STRAP)	65 g / 2.3 oz	92 g / 3.2 oz	70 g / 2.5 oz	77 g / 2.7 oz	17 g / 0.6 oz	88 g / 3.1 oz	73 g / 2.57 oz
POWER SUPPLY	1 x 3-V CR2 battery (included)	1 x 3-V CR123 battery (included)	1 x 3-V CR2 battery (included)	1 x 3-V CR2 battery (included)	rechargeable	rechargeable	1 x 3-V CR2 battery (included)



CANICALM FIRST

REF. PFABOSTI020 | GTIN 3700192302636

- Very easy to use
- Fully automatic device, no adjustment required
- Warning beep sounds
- Progressive stimulations

CANICALM

REF. PFABOSTI001 | GTIN 3700192301011

- 3 operating modes available:
 - Warning beep sounds only
 - Warning beep sound + short stimulation
 - Warning beep sound + long stimulation
- Adjustable bark detection sensitivity



CANICALM SMALL

REF. PFABOSTI049 | GTIN 3700192304388

- Miniaturised and ultralight collar: only 17 g / 0.6 oz
- 3 operating modes available:
 - Warning beep sounds only
 - Warning beep sound + progressive stimulations for very sensitive dogs
 - Warning beep sound + progressive stimulations for sensitive dogs
- Rechargeable



IKI PULSE

REF. PFABOSTI023 | GTIN 3700192301943

- Waterproof collar
- Rechargeable
- 7 operating modes available:
 - Warning beep sounds only
 - 3 operating modes for sensitive dogs
 - 3 operating modes for dogs with strong character
- Adjustable bark detection sensitivity



CANICALM PREMIUM

REF. PFABOSTI003 | GTIN 3700192301158

- Waterproof collar
- 4 operating modes available:
 - Warning beep sounds only
 - Warning beep sound + light stimulation
 - Warning beep sound + strong stimulation
 - Warning beep sound + progressive stimulations
- Adjustable bark detection sensitivity

CANICALM EXCEL

REF. PFABOSTI021 | GTIN 3700192302902

- All the adjustments are made outside of the case
- Polyurethane strap (easy to clean)
- Waterproof collar
- 4 operating modes available:
 - Warning beep sounds only
 - Warning beep sound + light stimulation
 - Warning beep sound + strong stimulation
 - Warning beep sound + progressive stimulations
- Adjustable bark detection sensitivity



CANICALM SMART

REF. PFABOSTI058 | GTIN 3700192306849

- Allows you to:
 - analyse your dog's behaviour in your absence
 - customize the settings according to your dog's barking habits
- Waterproof collar
- Bluetooth 4.0
- Free mobile application for iOS and Android
- 4 operating modes available:
 - Warning beep sounds only
 - Warning beep sound + light stimulation
 - Warning beep sound + strong stimulation
 - Warning beep sound + progressive stimulations
- Adjustable bark detection sensitivity
- Polyurethane strap (easy to clean)



Bluetooth



PET FENCING AREA PROTECTION

PRODUCT	PET FENCING SYSTEM CANIFUGUE FUG1030	PET FENCING SYSTEM CANIFUGUE MIX FUG1031	PET FENCING SYSTEM CANIFUGUE FUG1032	PET FENCING SYSTEM CANIFUGUE MIX FUG1033	PET FENCING SYSTEM CANIFUGUE SMALL
ANIMAL	dogs	dogs	dogs	dogs	cats and small dogs
MAXIMUM ANTENNA WIRE LENGTH	up to 800 m / 2625 ft of wire	up to 2000 m / 6562 ft of wire	up to 800 m / 2625 ft of wire	up to 2000 m / 6562 ft of wire	up to 800 m / 2625 ft of wire
WARNING BEEP & STIMULATION AREA	adjustable		adjustable		
WIRE BREAK ALARM	YES		YES		
NUMBER OF ANIMALS	unlimited		unlimited		
LEVELS OF STIMULATIONS ON COLLAR	8 levels		8 levels		
ON/OFF BUTTON ON COLLAR	-		YES		
LOW BATTERY INDICATOR ON COLLAR	-		YES		
COLLAR WATERTIGHTNESS	waterproof		waterproof		
COLLAR WEIGHT	69 g / 2.4 oz		57 g / 2 oz	57 g / 2 oz	23 g / 0.8 oz
COLLAR POWER SUPPLY	1 x 3-V CR2 battery (included)		1 x 3-V CR2 battery (included)	1 x 3-V CR2 battery (included)	rechargeable

CANIFUGUE MIX FUG1031

REF. PFFUGFIL046 | GTIN 3700192302483

- For dogs
- Suitable for up to 2000 m / 6562 ft of antenna wire
- Warning beep sounds area - Adjustable width
- Stimulations area - Adjustable width
- Beep sounds only operating mode available



CANIFUGUE FUG1030

REF. PFFUGFIL063 | GTIN 3700192301165

- For dogs
- Suitable for up to 800 m / 2625 ft of antenna wire
- Warning beep sounds area - Adjustable width
- Stimulations area - Adjustable width



CANIFUGUE FUG1032

REF. PFFUGFIL051 | GTIN 3700192304449

- For dogs
- Suitable for up to 800 m / 2625 ft of antenna wire
- Warning beep sounds area - Adjustable width
- Stimulations area - Adjustable width
- Collar LED: ON/OFF and low battery indicator
- External settings (no need to open the collar)



CANIFUGUE MIX FUG1033

REF. PFFUGFIL084 | GTIN 3700192304463

- For dogs
- Suitable for up to 2000 m / 6562 ft of antenna wire
- Warning beep sounds area - Adjustable width
- Stimulations area - Adjustable width
- Beep sounds only operating mode available
- Collar LED: ON/OFF and low battery indicator
- External settings (no need to open the collar)

CANIFUGUE SMALL

REF. PFFUGFIL082 | GTIN 3700192304791

- For cats and small dogs
- Ultralight collar - only 23 g / 0.8 oz
- Suitable for up to 800 m / 2625 ft of antenna wire
- Warning beep sounds area - Adjustable width
- Stimulations area - Adjustable width
- Nylon strap with safety stretch section
- Collar LED: ON/OFF and low battery indicator
- External settings (no need to open the collar)



RECEIVER COLLAR CANIFUGUE FUG1030 & CANIFUGUE MIX FUG1031

REF. PFFUGFIL004 | GTIN 3700192301172

- Adjustable stimulations (8 levels)
- Works with all the NUM'AXES pet fencing systems



RECEIVER COLLAR CANIFUGUE FUG1032 & CANIFUGUE MIX FUG1033

REF. PFFUGFIL070 | GTIN 3700192304456

- Adjustable stimulations (8 levels)
- Works with all the NUM'AXES pet fencing systems
- Collar LED: ON/OFF and low battery indicator
- External settings (no need to open the collar)



RECEIVER COLLAR CANIFUGUE SMALL

REF. PFFUGFIL083 | GTIN 3700192304807

- Ultralight - only 23 g / 0.8 oz
- Adjustable stimulations (8 levels)
- Works with all the NUM'AXES pet fencing systems
- Collar LED: ON/OFF and low battery indicator
- External settings (no need to open the collar)



PET FENCING SYSTEMS ACCESSORIES

Antenna wire 100 m / 328 ft x 1.04 mm²
 Canifugue FUG1030 / Canifugue Mix FUG1031 /
 Canifugue FUG1032 / Canifugue Mix FUG1033 /
 Canifugue Small
 REF. CPACCB0B009 | GTIN 3700192311409

Antenna wire 152 m / 500 ft x 0.52 mm²
 Canifugue FUG1030 / Canifugue Mix FUG1031 /
 Canifugue FUG1032 / Canifugue Mix FUG1033 /
 Canifugue Small
 REF. CPACCB0B005 | GTIN 3700192303015

Twisted antenna wire 30 m / 98 ft x 0.52 mm²
 Canifugue FUG1030 / Canifugue Mix FUG1031 /
 Canifugue FUG1032 / Canifugue Mix FUG1033 /
 Canifugue Small
 REF. CPACCB0B007 | GTIN 3700192309635



NEW

WIRELESS PET CONTAINMENT SYSTEM

CANIFUGUE FUG1034

REF. NGFUGBOR001 | GTIN 3700192312161

- Wireless, easy to install
- Easily transportable: you can easily take it with you when you go away for the weekend or on holiday
- Flexible, add collars or transmitters at any time
- Number of collars unlimited
- The collar can be coupled with up to 8 transmitters
- The transmitters can be used in different operating modes (ex: one in fence mode and one in protection mode).

ACCESSORIES

Additional transmitter
 REF. NGFUGBOR002 | GTIN 3700192312178

Additional collar
 REF. NGFUGBOR003 | GTIN 3700192312185

PRODUCT	CANIFUGUE FUG1034
OPERATING MODE	fence or protection zone
FENCE RANGE	from 2 m / 6.56 ft up to 120 m / 394 ft
PROTECTION RANGE	from 2 m / 6.56 ft up to 120 m / 394 ft
WARNING AND STIMULATION AREAS	adjustable
WARNING	beep sounds or vibrations
LEVELS OF STIMULATIONS ON COLLAR	8 levels
NUMBER OF ANIMALS	unlimited
TRANSMITTER POWER SUPPLY	mains or 3 x LR06 batteries (not included)
COLLAR POWER SUPPLY	rechargeable
COLLAR WEIGHT	59 g / 2.8 oz
WATERTIGHTNESS	collar: IPX7 transmitter: IPX5



NUMAXES
 EDUCATION





REMOTE TRAINING WITHOUT STIMULATIONS

PRODUCT	REMOTE TRAINER CANICOM SOFT	REMOTE TRAINER CANICOM SPRAY	REMOTE TRAINER CANICOM VOICE 200	REMOTE TRAINER CANICOM VOICE 800
CHARACTER OF THE DOG	easy			
RANGE	200 m / 656 ft	300 m / 984 ft	200 m / 656 ft	800 m / 2625 ft
NUMBER OF DOGS	1	1 or 2	1	1 or 2
WARNING BEEP SOUNDS	YES			
VIBRATIONS	YES			
SPRAY	-	YES	-	-
MESSAGES RECORDED BY DOG'S OWNER	-	-	YES up to 4 messages	YES up to 4 messages
COLLAR WATERTIGHTNESS	waterproof	showerproof	waterproof	waterproof
LOW BATTERY INDICATOR ON COLLAR	YES			
COLLAR WEIGHT	51 g / 1.8 oz	70 g / 2.5 oz	135 g / 4.76 oz	135 g / 4.76 oz
COLLAR POWER SUPPLY	1 x 3-V CR2450 battery (included)	1 x 3-V CR1/3N battery (included)	1 x 3-V CR2 battery (included)	1 x 3-V CR2 battery (included)
REMOTE CONTROL POWER SUPPLY	1 x 3-V CR2032 battery (included)	1 x 3-V CR2430 battery (included)	1 x 3-V CR2430 battery (included)	1 x 3-V CR2 battery (included)

CANICOM SOFT

REF. PFDRESON001 | GTIN 3700192303169

- Especially designed for sensitive dogs
- For 1 dog
- Range: up to 200 m / 656 ft
- Warning beep sounds
- Short or long vibrations (very useful for deaf dogs)
- Ultra bright LED



RECEIVER COLLAR CANICOM SPRAY

■ BLACK STRAP
REF. PFDRESPR007 | GTIN 3700192306320

■ YELLOW STRAP
REF. PFDRESPR003 | GTIN 3700192306269

- Weight: 70 g / 2.5 oz
- Compatible with the Canicom Spray remote control

CANICOM SPRAY

REF. PFDRESPR002 | GTIN 3700192306252

- Especially designed for sensitive dogs
- For 1 or 2 dogs
- Range: up to 300 m / 984 ft
- Warning by beep sounds or vibrations (very useful for deaf or hard of hearing dogs)
- Short or long spray
- Spray level of the collar visible on the remote control screen
- Supplied with an odourless spray refill (75 ml / 2.6 fl oz)
- The second collar can be added at any time





RECEIVER COLLAR CANICOM VOICE

■ BLACK STRAP
REF. PFDRES006 | GTIN 3700192309338

■ YELLOW STRAP
REF. PFDRES009 | GTIN 3700192309345

- Weight: 135 g / 4.76 oz
- Works with the Canicom Voice 200 and Canicom Voice 800 remote controls



CANICOM VOICE 200

REF. PFDRES004 | GTIN 3700192306832

- Especially designed for sensitive dogs
- For 1 dog
- Range: up to 200 m / 656 ft
- Warning beep sounds or vibrations
- 4 voice messages recorded by the dog's owner allow him to personalize the training set

CANICOM VOICE 800

REF. PFDRES007 | GTIN 3700192309314

- Especially designed for sensitive dogs
- For 1 or 2 dogs
- Range: up to 800 m / 2625 ft
- Warning beep sounds or vibrations
- 4 voice messages recorded by the dog's owner allow him to personalize the training set
- The second collar can be added at any time



REMOTE TRAINING WITH STIMULATIONS

PRODUCT	REMOTE TRAINER CANICOM 200 FIRST	REMOTE TRAINER CANICOM 200	REMOTE TRAINER CANICOM 800	REMOTE TRAINER CANICOM 1000	REMOTE TRAINER CANICOM 1500	REMOTE TRAINER CANICOM 1500 PRO
CHARACTER OF THE DOG	easy to difficult		easy to difficult			
RANGE	200 m / 656 ft		800 m / 2625 ft	1000 m / 3281 ft	1500 m / 4921 ft	1500 m / 4921 ft
NUMBER OF DOGS	1		1 or 2	1 or 2	1, 2, 3 or 4	1 or 2
WARNING BEEP SOUNDS	YES		YES			
LEVELS OF STIMULATIONS	5 levels	9 levels	15 levels	15 levels	18 levels	18 levels
BOOSTER BUTTON FOR EMERGENCY SITUATIONS	-		YES			
COLLAR WATERTIGHTNESS	waterproof		waterproof			
LOW BATTERY INDICATOR ON COLLAR	YES		YES			
COLLAR WEIGHT	75 g / 2.6 oz		75 g / 2.6 oz			
COLLAR POWER SUPPLY	1 x 3-V CR2 battery (included)		1 x 3-V CR2 battery (included)			
REMOTE CONTROL POWER SUPPLY	1 x 3-V CR2430 battery (included)		1 x 3-V CR2 battery (included)	1 x 3-V CR2 battery (included)	2 x 1.5-V LR06 batteries (included)	2 x 1.5-V LR06 batteries (included)
BEEPER / BIRD LAUNCHER IN OPTION	-		-	-	-	up to 2 beepers up to 4 bird launchers



CANICOM 200 FIRST

REF. PFDRESTI054 | GTIN 3700192301981

- For 1 dog
- Range: up to 200 m / 656 ft
- Warning beep sounds
- Adjustable static correction: 5 levels

CANICOM 200

REF. PFDRESTI051 | GTIN 3700192301417

- For 1 dog
- Range: up to 200 m / 656 ft
- Warning beep sounds
- Adjustable static correction: 9 levels



CANICOM 1500

1 DOG – REF. PFDRESTI069 | GTIN 3700192301455

2 DOGS – REF. PFDRESTI438 | GTIN 3700192311256

3 DOGS – REF. PFDRESTI439 | GTIN 3700192311263

- For 1, 2, 3 or 4 dogs
- Range: up to 1500 m / 4921 ft
- Warning beep sounds
- Adjustable static correction: 18 levels
- The additional collars can be added at any time



CANICOM 1500 PRO

REF. PFDRESTI072 | GTIN 3700192301516

- For 1 or 2 dogs
- Range: up to 1500 m / 4921 ft
- The remote control can operate:
 - 1 or 2 Canicom training collars
 - 1 or 2 Canibeep Radio Pro beeper collars
 - 1 up to 4 Canifly bird launchers
- Warning beep sounds
- Adjustable static correction: 18 levels
- The second training collar, the beeper collars and the bird launchers can be added at any time



CANICOM 800

1 DOG – REF. PFDRESTI066 | GTIN 3700192301431

2 DOGS – REF. PFDRESTI436 | GTIN 3700192311232

- For 1 or 2 dogs
- Range: up to 800 m / 2625 ft
- Warning beep sounds
- Adjustable static correction: 15 levels
- The second collar can be added at any time

CANICOM 1000

1 DOG – REF. PFDRESTI325 | GTIN 3700192309918

2 DOGS – REF. PFDRESTI437 | GTIN 3700192311249

- For 1 or 2 dogs
- Range: up to 1000 m / 3281 ft
- Warning beep sounds
- Adjustable static correction: 15 levels
- The second collar can be added at any time



RECEIVER COLLAR CANICOM



■ BLACK COLLAR / BLACK STRAP
REF. PFDRESTI044 | GTIN 3700192301752

■ BLACK COLLAR / YELLOW STRAP
REF. PFDRESTI045 | GTIN 3700192301769

■ BLACK COLLAR / ORANGE STRAP
REF. PFDRESTI046 | GTIN 3700192301776

■ BLACK COLLAR / BLUE STRAP
REF. PFDRESTI043 | GTIN 3700192301783

■ ORANGE COLLAR / BLACK STRAP
REF. PFDRESTI327 | GTIN 3700192310211

■ ORANGE COLLAR / ORANGE STRAP
REF. PFDRESTI328 | GTIN 3700192310228

- Weight: 75 g / 2.6 oz
- Compatible with all the remote controls of the Canicom range

REMOTE TRAINING WITH STIMULATIONS

PRODUCT	REMOTE TRAINER CANICOM 5.201	REMOTE TRAINER CANICOM 5.500	REMOTE TRAINER CANICOM 5.800	REMOTE TRAINER CANICOM 5.1500
CHARACTER OF THE DOG	easy to difficult	easy to difficult		
RANGE	200 m / 656 ft	500 m / 1640 ft	800 m / 2625 ft	1500 m / 4921 ft
NUMBER OF DOGS	1	1 or 2	1 or 2	1, 2, 3 or 4
WARNING BEEP SOUNDS	YES	YES		
VIBRATIONS	YES	YES		
LEVELS OF STIMULATIONS	10 levels	15 levels	20 levels	25 levels
BOOSTER BUTTON FOR EMERGENCY SITUATIONS	YES	YES		
COLLAR WATERTIGHTNESS	waterproof	waterproof		
LOW BATTERY INDICATOR ON COLLAR	YES	YES		
COLLAR WEIGHT	85 g / 3 oz	85 g / 3 oz		
COLLAR POWER SUPPLY	1 x 3-V CR2 battery (included)	1 x 3-V CR2 battery (included)		
REMOTE CONTROL POWER SUPPLY	1 x 3-V CR2450 battery (included)	1 x 3-V CR2 battery (included)	1 x 3-V CR2 battery (included)	2 x 1.5-V LR06 batteries (included)



CANICOM 5.500

1 DOG – REF. PFDRESTI210 | GTIN 3700192303404

2 DOGS – REF. PFDRESTI440 | GTIN 3700192311270

- For 1 or 2 dogs
- Range: up to 500 m / 1640 ft
- Warning beep sounds
- Vibrations (very useful for deaf or hard of hearing dogs)
- Adjustable static correction: 15 levels
- The second collar can be added at any time



CANICOM 5.201

REF. PFDRESTI204 | GTIN 3700192303381

- For 1 dog
- Range: up to 200 m / 656 ft
- Warning beep sounds
- Vibrations (very useful for deaf or hard of hearing dogs)
- Adjustable static correction: 10 levels

RECEIVER COLLAR CANICOM 5

ORANGE STRAP
REF. PFDRESTI206 | GTIN 3700192303435

NEON GREEN STRAP
REF. PFDRESTI218 | GTIN 3700192303442

BLUE STRAP
REF. PFDRESTI219 | GTIN 3700192303459

DARK GREEN STRAP
REF. PFDRESTI220 | GTIN 3700192303466

- Weight: 85 g / 3 oz
- Compatible with all the remote controls of the Canicom 5 range



CANICOM 5.1500

1 DOG – REF. PFDRESTI216 | GTIN 3700192303428

2 DOGS – REF. PFDRESTI442 | GTIN 3700192311294

3 DOGS – REF. PFDRESTI443 | GTIN 3700192311300

- For 1, 2, 3 or 4 dogs
- Range: up to 1500 m / 4921 ft
- Warning beep sounds
- Vibrations (very useful for deaf or hard of hearing dogs)
- Adjustable static correction: 25 levels
- The additional collars can be added at any time



CANICOM 5.800

1 DOG – REF. PFDRESTI212 | GTIN 3700192303411

2 DOGS – REF. PFDRESTI441 | GTIN 3700192311287

- For 1 or 2 dogs
- Range: up to 800 m / 2625 ft
- Warning beep sounds
- Vibrations (very useful for deaf or hard of hearing dogs)
- Adjustable static correction: 20 levels
- The second collar can be added at any time

REMOTE TRAINING WITH STIMULATIONS

PRODUCT	REMOTE TRAINER CANICOM R-500	REMOTE TRAINER CANICOM R-800	REMOTE TRAINER CANICOM R-1500
CHARACTER OF THE DOG	easy to difficult		
RANGE	500 m / 1640 ft	800 m / 2625 ft	1500 m / 4921 ft
NUMBER OF DOGS	1 or 2	1 or 2	1, 2, 3 or 4
WARNING BEEP SOUNDS	YES		
VIBRATIONS	YES		
LEVELS OF STIMULATIONS	15 levels	20 levels	25 levels
BOOSTER BUTTON FOR EMERGENCY SITUATIONS	YES		
COLLAR WATERTIGHTNESS	waterproof		
LOW BATTERY INDICATOR ON COLLAR	YES		
COLLAR WEIGHT	71 g / 2.5 oz		
COLLAR POWER SUPPLY	rechargeable		
REMOTE CONTROL POWER SUPPLY	rechargeable		

CANICOM R-500

REF. PFDRESTI345 | GTIN 3700192310570

- For 1 or 2 dogs
- Range: up to 500 m / 1640 ft
- Warning beep sounds
- Vibrations (very useful for deaf or hard of hearing dogs)
- Adjustable static correction: 15 levels
- Rechargeable remote control and collar
- The additional collar can be added at any time



CANICOM R-800

REF. PFDRESTI347 | GTIN 3700192310587

- For 1 or 2 dogs
- Range: up to 800 m / 2625 ft
- Warning beep sounds
- Vibrations (very useful for deaf or hard of hearing dogs)
- Adjustable static correction: 20 levels
- Rechargeable remote control and collar
- The additional collar can be added at any time

CANICOM R-1500

REF. PFDRESTI349 | GTIN 3700192310594

- For 1, 2, 3 or 4 dogs
- Range: up to 1500 m / 4921 ft
- Warning beep sounds
- Vibrations (very useful for deaf or hard of hearing dogs)
- Adjustable static correction: 25 levels
- Rechargeable remote control and collar
- The additional collars can be added at any time



RECEIVER COLLAR CANICOM R

- ORANGE STRAP
REF. PFDRESTI355 | GTIN 3700192310600
- YELLOW STRAP
REF. PFDRESTI351 | GTIN 3700192310617
- NEON GREEN STRAP
REF. PFDRESTI352 | GTIN 3700192310624
- BLUE STRAP
REF. PFDRESTI353 | GTIN 3700192310631

- Rechargeable collar
- Weight: 71 g / 2.5 oz
- Compatible with all the remote controls of the NUM'AXES Canicom R range



BIRD LAUNCHERS

PRODUCT	CANIFLY FIRST	CANIFLY 1500
REMOTELY TRIGGERED	YES	
RANGE	up to 200 m / 656 ft	up to 1500 m / 4921 ft
NUMBER OF BIRD LAUNCHERS	1 to 6	1 to 4
BIRD SIZE	quail / partridge	
BIRD LAUNCHER POWER SUPPLY	3 x 1.5-V LR06 batteries (included)	
REMOTE CONTROL POWER SUPPLY	1 x 3-V CR2430 battery (included)	2 x 1.5-V LR06 batteries (included)
REMOTE CONTROL WEIGHT	40 g / 1.4 oz	130 g / 4.6 oz
TRAINING COLLAR / BEEPER COLLAR IN OPTION	-	up to 2 training collars up to 2 beeper collars

CANIFLY FIRST

REF. PFVOLCOM010 | GTIN 3700192303022

- Range: up to 200 m / 656 ft
- The Canifly First remote control can operate up to 6 bird launchers
- Bird size: quail or partridge
- Instantaneous remote launching



CANIFLY 1500 PRO

REF. PFVOLCOM001 | GTIN 3700192301295


- Range: up to 1500 m / 4921 ft
- The Canicom 1500 Pro remote control can operate:
 - 1 up to 4 bird launchers
 - 1 or 2 Canicom training collars
 - 1 or 2 Canibeeper Radio Pro beeper collars
- Bird size: quail or partridge
- Instantaneous remote launching

BIRD LAUNCHER ONLY CANIFLY

REF. PFVOLCOM002 | GTIN 3700192301301

- Weight: 2.380 kg / 84 oz
- Open launcher: 30 x 24 x 30 cm / 12 x 9 x 12 in
- Closed launcher: 30 x 13 x 30 cm / 12 x 5 x 12 in





GPS TRACKING SYSTEMS

PRODUCT	CANICOM GPS 2	CANICOM GPS MINI
LOCATION RANGE	up to 15 km	
TRAINING RANGE	3 km	
NUMBER OF DOGS	up to 20 dogs	
FREQUENCIES	France: 155.6 and 162.25 Mhz Europe: 169.4 - 169.475 Mhz	
CHANNELS	8 channels available 2 french channels + 6 european channels	
ELECTRONIC COMPASS	YES	
HIGH ACCURACY LOCATION	GPS + GALILEO + GLONASS + BDS (collar + receiver)	
AUTOMATIC POSITION REFRESH	every 3 seconds	
MASTER/DOG DISTANCE DISPLAY	YES	
DOG STATUS DISPLAY	moving or not moving	
WATERTIGHTNESS	waterproof (collar + receiver) IP67	
POWER SUPPLY	rechargeable	
BATTERY LIFE	receiver: up to 25 hours collar: up to 30 hours (depending on the settings)	receiver: up to 25 hours collar: up to 25 hours (depending on the settings)

CANICOM GPS 2

COMPLETE SET - REF. NGREPGE0027 | GTIN 3700192311973

- 2-in-1 product: geolocation + long-range training
- Precise real-time localization (GPS + GALILEO + GLONASS + BDS)
- Optimized with the latest generation high-sensitivity GPS/GALILEO modules
- Dog status display: moving, stationary, stopped for a while
- Can be used throughout Europe
- Very easy to use and robust
- Waterproof and rechargeable
- Free cartography available in CANICOM GPS application: satellite views or map
- User-friendly application: landmarks, virtual fence, dog position sharing, route calculation to reach the dog, distance covered by the dog and route display



Free application
IOS + ANDROID

Easy to use thanks to
its intuitive interface

NEW

CANICOM GPS MINI

COMPLETE SET WITH TRAINING FUNCTION - REF. NGREPGE0039 | GTIN 3700192312635




COMPLETE SET WITHOUT TRAINING FUNCTION - REF. NGREPGE0040 | GTIN 3700192312642

- 2-in-1 product: geolocation + long-range training
- Precise real-time localization (GPS + GALILEO + GLONASS + BDS)
- Optimized with the latest generation high-sensitivity GPS/GALILEO modules
- Dog status display: moving, stationary, stopped for a while
- Can be used throughout Europe
- Very easy to use and robust
- Waterproof and rechargeable
- Free cartography available in CANICOM GPS application: satellite views or map
- User-friendly application: landmarks, virtual fence, dog position sharing, route calculation to reach the dog, distance covered by the dog and route display



Free application
IOS + ANDROID

Easy to use thanks to
its intuitive interface



ADDITIONAL COLLARS

CANICOM GPS 2

ADDITIONAL COLLAR - REF. NGREPGE0028 | GTIN 3700192311980

- 2-in-1 collar: geolocation + long-range training
- Training function: beep sound, vibration, stimulation
- High-sensitivity GPS/GALILEO modules
- Enhanced safety: integrated high-visibility LEDs
- Compatible with CANICOM GPS / CANICOM GPS 2 / CANICOM GPS MINI systems
- Weight: 280 g



CANICOM GPS MINI

ADDITIONAL COLLAR WITH TRAINING FUNCTION
REF. NGREPGE0041 | GTIN 3700192312659

ADDITIONAL COLLAR WITHOUT TRAINING FUNCTION
REF. NGREPGE0042 | GTIN 3700192312666

- 2-in-1 collar: geolocation + long-range training
- Training function: beep sound, vibration, stimulation
- High-sensitivity GPS/GALILEO modules
- Enhanced safety: integrated high-visibility LEDs
- Compatible with CANICOM GPS / CANICOM GPS 2 / CANICOM GPS MINI systems
- Small : -30% compared with CANICOM GPS 2
- Light : only 164 g



ACCESSORIES

Receiver silicone protection cover (orange)
CANICOM GPS / CANICOM GPS 2 /
CANICOM GPS MINI
REF. NGREPACC067 | GTIN 3700192310525

Short receiver antenna
CANICOM GPS / CANICOM GPS 2 /
CANICOM GPS MINI
REF. NGREPACC060 | GTIN 3700192310310

Long receiver antenna
CANICOM GPS / CANICOM GPS 2 /
CANICOM GPS MINI
REF. NGREPACC038 | GTIN 3700192310044

Short electrodes
CANICOM GPS / CANICOM GPS 2
REF. NGREPACC056 | GTIN 3700192310105

Long electrodes
CANICOM GPS / CANICOM GPS 2
REF. NGREPACC055 | GTIN 3700192310112

Magnetic mount antenna 80 cm / 31.5 in
(magnetic base + antenna)
CANICOM GPS / CANICOM GPS 2 /
CANICOM GPS MINI
REF. NGREPACC061 | GTIN 3700192310488

USB charging cable
CANICOM GPS / CANICOM GPS 2 /
CANICOM GPS MINI
REF. NGREPACC033 | GTIN 3700192310068

Power pack 5V 2A
CANICOM GPS / CANICOM GPS 2 /
CANICOM GPS MINI
REF. NGREPACC039 | GTIN 3700192310075

Power pack 5V 2A + USB charging cable
CANICOM GPS / CANICOM GPS 2 /
CANICOM GPS MINI
REF. NGREPACC045 | GTIN 3700192310082

Pack of 2 receiver batteries
CANICOM GPS / CANICOM GPS 2 /
CANICOM GPS MINI
REF. NGREPACC047 | GTIN 3700192310099



BEEPER COLLARS

PRODUCT	CANIBEEP PRO	CANIBEEP 5	CANIBEEP RADIO PRO
AUDIBLE RANGE	200 m / 656 ft		
POINT ONLY MODE	YES		
RUN/POINT MODE	YES		
ONE-TIME BEEP SOUND MODE	-	-	YES
NUMBER OF DISTINCT SOUNDS	4		
MOVEMENT DETECTION SENSITIVITY	adjustable		
SOUND VOLUME	adjustable		
INTERVAL BETWEEN BEEP SOUNDS	-	adjustable	-
COLLAR WATERTIGHTNESS	waterproof		
COLLAR WEIGHT	77 g / 2.7 oz	61 g / 2.1 oz	77 g / 2.7 oz
COLLAR POWER SUPPLY	1 x 3-V CR123 A battery (included)	rechargeable	1 x 3-V CR123 A battery (included)

CANIBEEP PRO

REF. PFREPSON003 | GTIN 3700192302094

- Audible up to 200 m / 656 ft
- Adjustable movement detection sensitivity
- Adjustable sound volume
- 4 distinct sounds available (very useful when hunting with several dogs)
- 2 operating modes: point only, run/point



GOOD DEAL

CANIBEEP 5

REF. PFREPSON028 | GTIN 3700192304067

- Audible up to 200 m / 656 ft
- Adjustable movement detection sensitivity
- Adjustable sound volume
- Adjustable interval between beep sounds when the dog is moving
- 4 distinct sounds available (very useful when hunting with several dogs)
- 2 operating modes: point only, run/point
- Easy to program thanks to 2 screens

CANIBEEP RADIO PRO

REF. PFREPSON011 | GTIN 3700192302100

- Audible up to 200 m / 656 ft
- Radio range of the remote control: 300 m / 984 ft
- Adjustable movement detection sensitivity
- Adjustable sound volume
- 4 distinct sounds available (very useful when hunting with several dogs)
- 3 operating modes: point only, run/point, one-time beep sound on demand
- Up to 3 beeper collars
- The second and third collars can be added at any time



RECEIVER COLLAR CANIBEEP RADIO PRO

YELLOW COLLAR
REF. PFREPSON012 | GTIN 3700192302124

ORANGE COLLAR
REF. PFREPSON014 | GTIN 3700192302131

BLUE COLLAR
REF. PFREPSON013 | GTIN 3700192302148

- Weight: 77 g / 2.7 oz
- Compatible with the Canibeeep Radio Pro remote control

PET BOWLS WITH BUILT-IN SCALE

PRODUCT	INTELLIGENT PET BOWL	INTELLIGENT PET BOWL XL
ANIMAL	cats and dogs	
LIQUIDS CAPACITY	1 litre / 35.2 fl oz	1.8 litre / 63.3 fl oz
FOOD CAPACITY	approximately 500 g / 17.6 oz of kibbles	approximately 800 g / 28.2 oz of kibbles
MEASUREMENT UNITS	european / anglo-saxon	
ACCURACY OF THE INTEGRATED SCALE	to the gram	
MATERIALS	stainless steel bowl	
DISHWASHER SAFE COMPONENTS	stainless steel bowl	stainless steel bowl
POWER SUPPLY	2 x 1.5-V LR03 batteries (not included)	1 x 3-V CR2032 battery (not included)

GOOD DEAL

INTELLIGENT PET BOWL

WHITE - REF. NGGAM003 | GTIN 3700192303961

- Very easy to use thanks to the LCD screen
- Easy to clean



GOOD DEAL

INTELLIGENT PET BOWL XL

BLACK - REF. NGGAM004 | GTIN 3700192304364

WHITE - REF. NGGAM005 | GTIN 3700192304371

- Very easy to use thanks to the LCD screen
- Easy to clean

AUTOMATIC PET FEEDERS



PRODUCT	ELECTRONIC PET FEEDER	TINY PET FEEDER
ANIMAL	cats and small dogs	
FOOD CONTAINER CAPACITY	5 kg / 11 lb	2.5 kg / 5.5 lb
NUMBER OF MEALS PER DAY	up to 3	up to 12
MINIMUM PORTION DELIVERED	50 g / 1.76 oz	10 g / 0.35 oz
WARNING	-	
DISHWASHER SAFE COMPONENTS	food container + bowl	
POWER SUPPLY	3 x 1.5-V LR20 batteries (not included) or mains (AC/DC adaptor not included)	4 x 1.5-V LR20 batteries (not included) or mains (AC/DC adaptor not included)

GOOD DEAL

ELECTRONIC PET FEEDER

REF. NGDISCRO003 | GTIN 3700192304296

- Works only with small dry kibbles
- Easy to program thanks to the LCD screen
- Portion: from 50 to 200 g (1.76 to 7.05 oz) by meal
- Up to 3 meals a day



GOOD DEAL

TINY PET FEEDER

REF. NGDISCRO005 | GTIN 3700192309284

- Works only with small dry kibble
- Easy to program thanks to the LCD screen
- Portion: from 10 up to 100 g (0.35 to 3.5 oz) by meal
- Up to 12 meals a day
- Empty tank indicator
- Low battery indicator



ACCESSORIES

AC power supply Electronic Pet Feeder
REF. NGDISACC007 | GTIN 3700192310006

AC power supply Tiny Pet Feeder
REF. NGDISACC005 | GTIN 3700192309307



PET FOUNTAIN



ACCESSORY

Set of 6 charcoal filters
Smart Bloom Pet Fountain
REF. NGFONACC011 | GTIN 3700192307839

ANTI-SPLASH WATER BOWL HYDRA200

REF. NGFON019 | GTIN 3700192310464

- Capacity: 2 litres / 70.4 fl oz
- Prevents overflows and splashes
- Specially designed to prevent your pet from drinking too fast
- Charcoal filter included to keep the water clean at all times
- Anti-slip system for optimal stability



ACCESSORY

Set of 4 charcoal filters HYDRA200
REF. NGFONACC023 | GTIN 3700192310471

SMART BLOOM PET FOUNTAIN

REF. NGFON012 | GTIN 3700192307822

- Capacity: 2 litres / 70.4 fl oz
- 3 operating modes: continuous, at regular intervals, by motion detection
- Filter replacement indicator
- Low water level indicator
- 2 interchangeable spouts supplied (tap or waterfall)
- Charcoal filter to remove impurities and maintain fresh water rich in oxygen

PRODUCT	SMART BLOOM PET FOUNTAIN
ANIMAL	cats and small dogs
CAPACITY	2 litres / 70.4 fl oz
CHARCOAL FILTER	YES
POWER SUPPLY	mains

PORTABLE WATER BOTTLE HYDRA300

REF. NGFON020 | GTIN 3700192311720

- Ideal for car trips or long walks
- Lightweight and practical
- Designed to prevent your dog from drinking too quickly
- Capacity: 500 ml / 17.5 fl oz





OTHER ACCESSORIES

GOOD DEAL

USB LIGHT COLLARS

- RED / S SIZE - REF. NGCOLLUM016 | GTIN 3700192306016
- RED / M SIZE - REF. NGCOLLUM017 | GTIN 3700192306023
- RED / L SIZE - REF. NGCOLLUM018 | GTIN 3700192306030
- GREEN / S SIZE - REF. NGCOLLUM019 | GTIN 3700192306047
- GREEN / M SIZE - REF. NGCOLLUM020 | GTIN 3700192306054
- GREEN / L SIZE - REF. NGCOLLUM021 | GTIN 3700192306061
- BLUE / S SIZE - REF. NGCOLLUM022 | GTIN 3700192306078
- BLUE / M SIZE - REF. NGCOLLUM023 | GTIN 3700192306085
- BLUE / L SIZE - REF. NGCOLLUM024 | GTIN 3700192306092

- Visible up to 500 m / 1640 ft
- Flashing or fixed light
- Approximately 10 hours of battery life
- Shower proof
- USB cable supplied
- 3 sizes:
 - Size S: W 2.5 cm x L 40-45 cm
 - Size M: W 2.5 cm x L 45-55 cm
 - Size L: W 2.5 cm x L 55-60 cm



GOOD DEAL

PET VISION LIVE FULL HD

REF. NGHOMCAM012 | GTIN 3700192308805

- Quick and easy installation (plug and play)
- Video and audio recording
- Warning sound and real time notifications on your smartphone
- Video resolution: FULL HD 1920 x 1080
- Wall mounting kit and power supply included
- Two-way audio system
- Panoramic rotation: Horizontal sweep 355° and vertical sweep 55°.
- Indoor camera



ELECTRONIC FLEA COMB FLEA CONTROL

REF. NGDIVEYE002 | GTIN 3700192310273

- Eliminates fleas without chemical products
- Harmless and painless electrostatic current
- Suppresses bad odours and makes fur shinier
- Retractable comb:
 - for easy product maintenance (removal of pet hair stuck in the teeth)
 - to protect the teeth of the comb when not in use
- Power supply: 2 x 1.5V LR06 batteries (not included)





RIBBON TEASER

REF. NGCATT006 | GTIN 3700192310280

- With this fully automated ribbon wand, your cat will enjoy hours of fun and independent play!
- A motorized system makes the ribbon attachment twirl up and down.
- The toy can be mounted on the support of your choice (cat tree, table, etc.) thanks to the included clip and velcro strap.
- The handle is detachable so that you can operate the toy manually and thus share a moment of complicity with your cat.
- Power supply: 2 x 1.5-V LR03 batteries (not included)



SPIN & TREAT BALL

REF. NGCATT003 | GTIN 3700192306948

- Interactive toy: moves by itself and dispenses treats when the cat is playing with it
- Playful toy thanks to the birdsongs it emits
- Turns on itself during 1 minute and pauses during 30 seconds, then starts again
- Can be filled with dry kibbles or cat treats
- Sturdy (ABS plastic)
- Power supply: 2 x 1.5-V LR06 batteries (not included)

NUM'AXES BATTERIES

DESIGNATION	REFERENCE	CHEMISTRY	VOLTAGE	CAPACITY	GTIN	EQUIVALENCES
PACK OF 1 CR2 BATTERY	CPELEPIL040	LITHIUM	3 V	900 mAh	3700192303183	CR17355, DL2CR2, EL1CR2
PACK OF 2 CR2 BATTERIES	CPELEPIL064	LITHIUM	3 V	900 mAh	3700192303701	CR17355, DL2CR2, EL1CR2
PACK OF 1 CR123 A BATTERY	CPELEPIL043	LITHIUM	3 V	1400 mAh	3700192303190	CR17345, DL123, EL123AP
PACK OF 1 CR2032 BATTERY	CPELEPIL049	LITHIUM	3 V	210~220 mAh	3700192303244	DL2032
PACK OF 1 CR2430 BATTERY	CPELEPIL051	LITHIUM	3 V	270~290 mAh	3700192303251	DL2430
PACK OF 1 CR2450 BATTERY	CPELEPIL053	LITHIUM	3 V	600 mAh	3700192303268	DL2450
PACK OF 1 CR1 / 3N BATTERY	CPELEPIL065	LITHIUM	3 V	170 mAh	3700192304012	CR11108, 2L76, 1/3N, DL1/3N
PACK OF 4 AAA LR03 BATTERIES	CPELEPIL056	ALKALINE	1.5 V	1300 mAh	3700192303206	E92, AM4, MN2400
PACK OF 4 AA LR06 BATTERIES	CPELEPIL103	ALKALINE	1.5 V	2900 mAh	3700192312017	E91, AM3, MN1500
PACK OF 12 AA LR06 BATTERIES	CPELEPIL104	ALKALINE	1.5 V	2900 mAh	3700192312024	E91, AM3, MN1500
PACK OF 2 C LR14 BATTERIES	CPELEPIL060	ALKALINE	1.5 V	7500 mAh	3700192303336	E93, AM2, MN1400
PACK OF 2 D LR20 BATTERIES	CPELEPIL061	ALKALINE	1.5 V	18000 mAh	3700192303343	E95, AM1, MN1300
PACK OF 1 N LR01 BATTERY	CPELEPIL055	ALKALINE	1.5 V	940 mAh	3700192303329	E90, AM5, MN9100
PACK OF 1 4LR44 BATTERY	CPELEPIL066	ALKALINE	6 V	155 mAh	3700192303350	A544, PX28A, V4034
PACK OF 1 6LR61 BATTERY	CPELEPIL067	ALKALINE	9 V	500 mAh	3700192303374	522, 6AM6, MN1604
PACK OF 2 23A BATTERIES	CPELEPIL073	ALKALINE	12 V	55 mAh	3700192303367	E23A, V23GA, MN21, LRV08, LR23A
PACK OF 4 18650 RECHARGEABLE BATTERIES	CPELEPIL108	LITHIUM	3.7 V	1200 mAh	3700192312673	-
26650 RECHARGEABLE BATTERY	CPELEPIL076	LITHIUM	3.7 V	4000 mAh	3700192307853	-
PACK OF 4 AA RECHARGEABLE BATTERIES	CPELEPIL085	NI-MH	1.2 V	2600 mAh	3700192308881	HR6

GRUPE NUMAXES

ORLÉANS


Headquarters

Groupe NUMAXES
Z.A.C Des Aulnaies
745 rue de la Bergeresse
CS 30157
45161 OLIVET CEDEX
FRANCE

☎ +33 (0) 2 38 69 96 27

☎ +33 (0) 2 38 63 31 00

✉ export@numaxes.com



TOULOUSE

Groupe NUMAXES
La Tolosane
110 rue Pierre et Marie Curie
31670 LABÈGE
FRANCE

NX numaxes.com

